



ADVANCED LUBRICANTS FOR MERCEDES-BENZ COMMERCIAL VEHICLES



Mercedes-Benz is the world's largest truck manufacturer, priding itself on providing operators with the latest, most efficient and reliable vehicles. And as one of the world's top lubricant brands, we are committed to developing the highest quality products that meet and often exceed Mercedes specifications, providing outstanding performance and protection for your Mercedes commercial vehicle.

Mercedes has developed its own specifications (e.g. MB 228.51 for engine oils) and Texaco® products are approved against these key requirements. In addition, our products cover a full range of approvals for other OEMs, meaning that we can meet the demands of a mix of manufacturers as well as your core Mercedes fleet.

OUR PRODUCTS SUITABLE FOR MERCEDES-BENZ INCLUDE:

- Heavy duty engine oils from our Ursa® Ultra, Premium and Heavy Duty ranges
- Gear & Axle oils
- Transmission fluids
- Greases
- Coolants

Please see overleaf for a full table of products



Ursa®
Let's go further.™

FINDING THE RIGHT PRODUCT FOR YOUR MERCEDES-BENZ VEHICLE

SPECIFICATIONS	RELEVANT PRODUCT(S)		INDUSTRY STANDARDS		PRODUCT ATTRIBUTES		
	PRODUCT NAME		ACEA*	API*	Fuel Economy	Low SAPS	Long Drain
ENGINE OILS							
MB 228.51	Ursa Ultra XLE SAE 5W-30 ¹	Premium performance fuel efficient synthetic heavy duty diesel engine lubricant	E6; E9; E7	CJ-4; CI-4 Plus; CI-4; SN	■	■	■
	Ursa Ultra X SAE 10W-30	Premium performance ISOSYN [®] synthetic group II blend diesel engine lubricant	E6; E7	CI-4	■	■	■
	Ursa Ultra X SAE 10W-40	Premium performance ISOSYN synthetic group II blend diesel engine lubricant	E6; E7	CI-4		■	■
	Ursa Ultra S SAE 10W-40 ¹	Premium performance synthetic heavy duty diesel engine lubricant	E6; E7	CI-4		■	■
MB 228.31	Ursa Ultra XLE SAE 5W-30 ¹	Premium performance fuel efficient synthetic heavy duty diesel engine lubricant	E6; E9; E7	CJ-4; CI-4 Plus; CI-4; SN	■	■	■
	Ursa Ultra LE SAE 10W-30 ¹	Premium performance low SAPS ISOSYN group II technology heavy duty diesel engine lubricant	E9	CJ-4; SM	■	■	
	Ursa Ultra LE SAE 15W-40 ¹	Premium performance low SAPS ISOSYN group II technology heavy duty diesel engine lubricant	E9; E7	CJ-4; CI-4 Plus; CI-4; CH-4; CF; SM		■	
MB 228.5	Ursa Premium TDX (E4) SAE 10W-40	High performance semi synthetic heavy duty diesel engine lubricant	E4; E7	CI-4			■
	Ursa Premium TDS SAE 10W-40	High performance synthetic heavy duty diesel engine lubricant	E4; E7	CF			■
	Ursa Premium FE SAE 5W-30	High performance synthetic heavy duty diesel engine lubricant	E4; E7	CI-4	■		■
MB 228.3	Ursa Premium TD SAE 10W-40	Proven performance ISOSYN synthetic group II blend heavy duty diesel engine lubricant	E7; A3/B4	CI-4			
	Ursa Premium TD SAE 15W-40	Proven performance ISOSYN group II technology heavy duty diesel engine lubricant	E7; A3/B4	CI-4; CH-4; CE [^] ; CD [^] ; CF [^] ; CF-4 [^] ; CG-4 [^]			
	Ursa Premium TD SAE 20W-50	Proven performance extended drain heavy duty diesel engine lubricant	E7	CH-4/SL			
	Ursa Heavy Duty SAE 15W-40, 20W-50	Heavy duty multigrade diesel engine lubricants	E2; A3/B3	CG-4; SJ; CF-4; CE; CD; CF (15W-40) [^]			
MB 226.9[~]	Ursa Ultra X SAE 10W-30	Premium performance ISOSYN synthetic group II blend diesel engine lubricant	E6; E7	CI-4			
	Ursa Ultra X SAE 10W-40	Premium performance ISOSYN synthetic group II blend diesel engine lubricant	E6; E7	CI-4			
MB 228.2	Ursa Heavy Duty SAE 30*, 40*	Heavy duty monograde diesel engine lubricants	E2	CF			
MB 229.1	Ursa Premium TD SAE 10W-40*	Proven performance ISOSYN synthetic group II blend heavy duty diesel engine lubricant	E7; A3/B4	CI-4			
	Ursa Premium TD SAE 15W-40*	Proven performance ISOSYN group II technology heavy duty diesel engine lubricant	E7; A3/B4	CI-4; CH-4; CE [^] ; CD [^] ; CF [^] ; CF-4 [^] ; CG-4 [^]			
	Ursa Heavy Duty SAE 15W-40, 20W-50	Heavy duty multigrade diesel engine lubricant	E2; A3/B3	CG-4; SJ; CF-4; CE; CD; CF (15W-40) [^]			
MB 235.27	Ursa Premium TDX (E4) SAE 10W-40 [^]	High performance semi synthetic heavy duty diesel engine lubricant	E4; E7	CI-4			■
MB 235.28	Ursa Premium FE SAE 5W-30 [^]	High performance synthetic heavy duty diesel engine lubricant	E4; E7	CI-4	■		■
GEAR & AXLE OILS							
MB 235.1	Geartex EP-A SAE 80W	Automotive gear lubricant		GL-4			
MB 235.0	Geartex EP-B SAE 85W-90, EP-C SAE 80W-90 [^]	Proven performance automotive gear lubricants		GL-5			
	Multigear SAE 80W-90 [^]	Proven performance total driveline lubricant		GL-4; GL-5; MT-1			
MB 235.4	Multigear MTF HD [^]	Premium performance fully synthetic SAE 75W-80 transmission fluid		GL-4	■		■
MB 235.11	Multigear MTF HD [^]	Premium performance fully synthetic SAE 75W-80 transmission fluid		GL-4	■		■
MB 235.8	Syn-Star GL SAE 75W-90 [^]	High performance synthetic automotive gear lubricant		GL-5; MT-1	■		■
	Multigear S SAE 75W-90	High performance fully synthetic total driveline lubricant		GL-4; GL-5; MT-1	■		■
TRANSMISSION FLUIDS							
MB 236.9	Synthetic ATF Heavy Duty	Premium performance synthetic automatic transmission fluid					■
MB 236.7; MB 236.5[*]; MB 236.2[^]	Texamatic 4291	Proven performance automatic transmission fluid					
GREASES							
MB 267	Multifak EP 2	Extreme pressure multi-purpose automotive and industrial grease					
MB 264.0	Multifak 264 EP 00/000	Efficient performance extreme pressure lithium grease					
MB 265.1	Hytex EP 2 LF	High performance long-service (lifetime) multi-purpose grease					
Wheel Bearings (SKF)	Starplex EP 2 [^]	High performance long-service multi-purpose grease					
COOLANTS							
MB 325.3	Havoline Xtended Life Coolant	High performance extended life engine coolant			■		■
MB 325.0	Havoline GHC [^]	Proven performance engine coolant					

[^] 'Chevron Recommended'. [~] Obsolete specification. ¹ Products suitable for gas engines.

* Performance – product is either (i) not currently formally approved or certified by the OEM or Industry Standard Organisation; (ii) self-certified; or (iii) was formally approved against an OEM specification which is now obsolete. However, in Chevron's opinion the product is recommended and suitable for use in applications where a product of this specification is required.